

## Compact and versatile scanner for the front office

# fi-800R Document Scanner

The fi-800R is a compact yet highly efficient document scanner capable of scanning all types of documents including passports and IDs. It includes robust features such as reverse feeding and Active Skew Correction—an industry first!—all to provide an agile and efficient scanning experience on even the most crowded of desks. Because of its U-turn feeder and elimination of the paper exit tray, the fi-800R fits into tight spaces and eliminates the need for multiple scanning devices.



### Fast and accurate imaging



The fi-800R scans A4 portrait documents at comfortable speeds of 40 ppm/80 ipm (200/300 dpi) and makes customer onboarding easy with its compact size and versatile scanning abilities.

### Ultra-compact footprint for limited spaces



The fi-800R is the perfect scanner when space is limited. Designed to fit in tight office spaces, it comes equipped with the Dual Path Mechanism, enabling scanning of a wider variety of documents. Satisfy all your scanning needs, from plastic cards to booklets, with a single device.

### Versatile scanning functionalities



U-turn Scan using the ADF makes the small footprint even smaller. The stacker extends to provide neatly stacked output documents and returns to its original position once scanning has completed, so that users can easily start scanning their next batch.

### Clever ID scanning for a quick customer onboarding process



Using Return Scan (the front-fed path), scan passports and ID up to 5 mm thick without using a carrier sheet. Simple one-sheet scanning also no longer requires the hassle of opening the feeder. Clever operation and fast scanning speeds of a mere 3.5 seconds reduce customer wait times and help provide great customer experiences.



### Stress-free operation with accurate paper feeding performance

Serve customers faster with the fi-800R's robust feeding functionalities. With Automatic Skew Correction, documents are straightened one sheet at a time for precise paper feeding. Active Separation adjusts pressure to ensure each sheet is separated and captured without any misfeeds. Confidently scan mixed batches and make customer onboarding more efficient.



### Advanced software for maximized efficiency

Empower reception workflows and use information more efficiently with our enhanced PaperStream IP scanner driver and integrated PaperStream Capture software. With the MRZ Recognition function, information found within the Machine Readable Zone is recognized and extracted as metadata for fast client retrieval. Users no longer need to organize documents or check if documents with photo IDs are scanned face up, since the Front Side Detection function detects photos on ID cards and passports to automatically set pages with photos as the front side. With a few simple setting configurations, Automatic Profile Selection also allows documents to undergo image processing appropriate to each document format. All these functionalities work together to offer a wider variety of batch scanning features and make employees more efficient.

### PaperStream ClickScan simplifies scanning

Easy to use capture software for any business. Simple scanning interface with 3-steps: scan, select destination & save.

## Compact and versatile scanner for the front office

# fi-800R Document Scanner

The fi-800R is a compact yet highly efficient document scanner capable of scanning all types of documents including passports and IDs. It includes robust features such as reverse feeding and Active Skew Correction—an industry first!—all to provide an agile and efficient scanning experience on even the most crowded of desks. Because of its U-turn feeder and elimination of the paper exit tray, the fi-800R fits into tight spaces and eliminates the need for multiple scanning devices.



### Fast and accurate imaging



The fi-800R scans A4 portrait documents at comfortable speeds of 40 ppm/80 ipm (200/300 dpi) and makes customer onboarding easy with its compact size and versatile scanning abilities.

### Ultra-compact footprint for limited spaces



The fi-800R is the perfect scanner when space is limited. Designed to fit in tight office spaces, it comes equipped with the Dual Path Mechanism, enabling scanning of a wider variety of documents. Satisfy all your scanning needs, from plastic cards to booklets, with a single device.

### Versatile scanning functionalities



U-turn Scan using the ADF makes the small footprint even smaller. The stacker extends to provide neatly stacked output documents and returns to its original position once scanning has completed, so that users can easily start scanning their next batch.

### Clever ID scanning for a quick customer onboarding process



Using Return Scan (the front-fed path), scan passports and ID up to 5 mm thick without using a carrier sheet. Simple one-sheet scanning also no longer requires the hassle of opening the feeder. Clever operation and fast scanning speeds of a mere 3.5 seconds reduce customer wait times and help provide great customer experiences.



### Stress-free operation with accurate paper feeding performance

Serve customers faster with the fi-800R's robust feeding functionalities. With Automatic Skew Correction, documents are straightened one sheet at a time for precise paper feeding. Active Separation adjusts pressure to ensure each sheet is separated and captured without any misfeeds. Confidently scan mixed batches and make customer onboarding more efficient.



### Advanced software for maximized efficiency


Empower reception workflows and use information more efficiently with our enhanced PaperStream IP scanner driver and integrated PaperStream Capture software. With the MRZ Recognition function, information found within the Machine Readable Zone is recognized and extracted as metadata for fast client retrieval. Users no longer need to organize documents or check if documents with photo IDs are scanned face up, since the Front Side Detection function detects photos on ID cards and passports to automatically set pages with photos as the front side. With a few simple setting configurations, Automatic Profile Selection also allows documents to undergo image processing appropriate to each document format. All these functionalities work together to offer a wider variety of batch scanning features and make employees more efficient.

### PaperStream ClickScan simplifies scanning

Easy to use capture software for any business. Simple scanning interface with 3-steps: scan, select destination & save.

# Compact and versatile document scanner

## fi-800R



### Ricoh industry-leading support keeps digital transformation projects on-time and on budget

- U.S. based support
- Specialized Teams
- Flexible service programs



### Ricoh Document Scanners provide superior engineering at the forefront of innovation through:

- Engineering Passion and Dedication
- Human Centric Design
- Worldwide Reliability

Technical Information			
Scanner Type		ADF (Automatic Document Feeder) / Manual Feed, Duplex	
Scanning Speed <sup>*1</sup> (A4 Portrait) Color (24-bit), <sup>*2</sup> Grayscale (8-bit), <sup>*2</sup> Monochrome (1-bit) <sup>*3</sup>	ADF	Simplex: 40 ppm (200/300 dpi) Duplex: 80 ipm (200/300 dpi)	
	Manual Feed	3.5 seconds (200/300 dpi)	
Image Sensor Type		CIS x 2 (front x 1, back x 1)	
Light Source		RGB LED (front x 1, back x 1)	
Optical Resolution		600 dpi	
Output Resolution <sup>*4</sup> (Color / Grayscale / Monochrome)		50 to 600 dpi (adjustable by 1 dpi increments) 1,200 dpi (driver) <sup>*5</sup>	
Output Format		Color: 24-bit, Grayscale: 8-bit, Monochrome: 1-bit	
Background Colors		White	
Document Size		Legal Portrait (8.5" x 14" or 215.9 mm x 355.6 mm)	
ADF Maximum		2" x 2" (50.8 mm x 50.8 mm)	
ADF Minimum		220" (5,588 mm)	
Long page scanning <sup>*6</sup>			
Paper Weight (Thickness)			
ADF	Paper	40 to 127 g/m <sup>2</sup> (11 to 34 lb) For A6 or smaller: 40 to 209 g/m <sup>2</sup> (11 to 56 lb) For A8 or smaller: 127 to 209 g/m <sup>2</sup> (34 to 56 lb)	
Manual Feed	Paper Plastic Card Booklet	20 to 413 g/m <sup>2</sup> (5.4 to 110 lb) 1.4 mm or less 5 mm or less	
ADF Capacity <sup>*7</sup>		20 sheets (A4 80 g/m <sup>2</sup> or Letter 20 lb), 30 sheets (A4 52 g/m <sup>2</sup> or Letter 14 lb)	
Expected Daily Volume <sup>*8</sup>		4,500 sheets	
Multifeed Detection		Overlap detection (Ultrasonic sensor)	
Service Programs & Options			
1-Year Advance Exchange	S800R-AEPWNB-1	1-Year scanner contract, shipping a replacement unit shipped overnight <sup>*</sup>	
3-Year Advance Exchange	S800R-AEMYNDB-3	3-Year scanner contract, shipping a replacement unit shipped overnight <sup>*</sup>	
5-Year Advance Exchange	S800R-AEMYNBD-5	5-Year scanner contract, shipping a replacement unit shipped overnight <sup>*</sup>	
Depot Mail-in Repair	S800R-DEPW5DY-3	3-year scanner contract provides mail-in unit repair that includes spare parts, labor, and one-way shipping to customer	
PaperStream Capture Pro	PSC-PRO-1Y PSC-PRO-3Y PSC-PRO-5Y	PaperStream Capture Pro 1-Year Subscription PaperStream Capture Pro 3-Year Subscription PaperStream Capture Pro 5-Year Subscription	
Reverse Path Stacker	CG01000-296101	Saves operational space and can place the scanner directly against the wall	
Space-Saving USB	CG01000-297601	Save 2 inches of space in scanner width	
Interface			
		USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1	
Power Requirements			
		AC 100 to 240 V ± 10%	
Power Consumption			
Operating Mode		19 W or less	
Sleep Mode		1.7 W or less	
Auto Standby (Off) Mode		0.15 W or less	
Operating Environment			
Temperature		41° F to 95° F (5° C to 35° C)	
Relative Humidity		20 to 80% (non-condensing)	
Enviromental Compliance			
		ENERGY STAR 3.0® and RoHS	
Dimensions <sup>9</sup> (Width x Depth x Height)			
		11.7 x 4.1 x 3.3 in. (296 x 105 x 83 mm)	
Weight			
		4.4 lb (2.0 kg)	
Supported Operating Systems			
		Windows® 11, Windows® 10 <sup>*12</sup> ; Windows® Server 2025, Windows Server® 2022, Windows® Server 2019, Windows® Server 2016, macOS, Linux (Ubuntu), ChromeOS	
Bundled software (DVD format)			
		PaperStream IP Driver (TWAIN/TWAIN x64/SIS), WIA Driver <sup>*10</sup> , Image Scanner Driver for macOS (ICA), Image Scanner Driver for Linux (SANE), PaperStream Capture, PaperStream ClickScan, Software Operation Panel, Error Recovery Guide, ABBYY FineReader for ScanSnap <sup>*11</sup> ; PaperStream Central Admin	
Image Processing Functions			
		Multi image output, Automatic color detection, Blank page detection, Static threshold, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, Dither, De-Screen, Emphasis, Dropout color (None/Red/Green/Blue/White/ Saturation/Custom), sRGB output, Cropping, Index tab cropping, Split image, De-Skew, Edge correction, Vertical streaks reduction, Character extraction, Background pattern removal	
Included in the box			
		AC cable, AC adapter, USB cable, Setup DVD-ROM	
Part Number			
		PA03795-B005	
Trade Compliant			
		Yes	
Certifications			
		Tungsten® VRS Elite, Works With Chromebook	
Warranty			
		1 Year Advance Exchange	
Consumables & Options			
Pick Roller	PA03795-0001	Lifetime: approx 150,000 <sup>*13</sup>	
Pad Unit	PA03795-0002	Lifetime: approx 30,000 <sup>*13</sup>	
ScanAid Kit	CG01000-295801	Consumable kit with instructions and cleaning supplies	
Carrier Sheets	PA03360-0013	Each package contains 5 carrier sheets	
Photo Carrier Sheets	PA03770-0015	Each package contains 3 carrier sheets	
Booklet Carrier Sheets	PA03795-0018	Each package contains 1 carrier sheet	
<sup>*</sup> Replacement units shipped overnight for all requests received by 2 P.M. PST			

\* Replacement units shipped overnight for all requests received by 2 P.M. PST

### Insist on Genuine Ricoh Service to keep your scanner running at its best

<sup>\*1</sup>Actual scanning speeds are affected by data transmission and software processing times. <sup>\*2</sup>Indicated speeds are from using JPEG compression. <sup>\*3</sup>Indicated speeds are from using TIFF CCITT Group 4 compression. <sup>\*4</sup>When scanning in high resolutions (500 dpi or above), scanning may be rejected depending on scanning mode, document size, memory size, and application program. Selectable maximum density may vary depending on the length of the scanned document. <sup>\*5</sup>Limitations may apply to the size of documents that can be scanned, depending on system environment, when scanning at high resolution (over 600 dpi). <sup>\*6</sup>Long page scanning is only available when using the ADF. Supports documents with lengths of up to 5,588 mm (220 in.) when resolutions are set to 200 dpi or less. For higher resolutions, supported document lengths vary. <sup>\*7</sup>Maximum capacity depends on paper weight and may vary. <sup>\*8</sup>Numbers are calculated using scanning speeds and typical hours of scanner use, and are not meant to guarantee daily volume or unit durability. <sup>\*9</sup>With the ADF paper chute closed. <sup>\*10</sup>Functions equivalent to those offered by PaperStream IP may not be available with the WIA Driver. <sup>\*11</sup>Software can be downloaded from the website designated in the Setup DVD-ROM. <sup>\*12</sup>fi Series scanners do not run with Windows® 11 and 10 ARM-based PCs. <sup>\*13</sup>Replacement cycles are guidelines for using A4 documents (80 g/m<sup>2</sup> [20 lb]). These cycles vary depending on the type of documents scanned, how often the scanner is used and cleaned, and your operating environment.

#### Safety Precautions

Be sure to carefully read all safety precautions prior to using this product and use this device as instructed. Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product. Be sure to limit the use of this product to listed power ratings.

#### Trademarks

Microsoft and Windows are trademarks of Microsoft Corporation. ISIS is a registered trademark of OpenText. ABBYY, FineReader are registered trademarks of ABBYY Software Ltd.

#### ENERGY STAR®

ENERGY STAR® PFU Limited has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.



# RICOH

To learn more, visit us at <https://www.pfu-us.ricoh.com/> or contact us at (888) 425-8228.

Copyright © 2025 PFU America, Inc. All other trademarks are the property of their respective owners.

20250401\_fi-800R\_Datasheet