

Accelerate your digital transformation journey

fi-8270

Made for demanding workflows, the fi-8270 employs innovative feeding and Clear Image Capture technology to deliver industry-leading reliability. The flatbed provides even more utility, making it possible to scan specialty documents and bound periodicals.



Image Quality

Clear Image Capture (CIC) technology resets the benchmark for high quality image capture, by combining the reliability and flexibility of Contact Imaging Sensor (CIS) hardware with an industry-leading image processor. CIC technology delivers precise, crisp images and industry-leading OCR accuracy rates while also removing unwanted watermarks and artifacts.

Paper Feeding

Evolved paper handling with a large 100-page hopper, an all-wheel drive mechanism, and fast 140 images captured per minute, make the fi-8270 one of the easiest and most efficient scanners to operate. The patented Automatic Separation Control uses state-of-the art technology to sense paper weight and adjusts to consistently separate documents and provide the perfect feed, ensuring documents are safely captured.

Reliability

The fi-8270 is built to last and powers up every time you need it ,regardless of job size. Strong urethane rollers, heavy-duty motors, a sturdy frame, and durable consumables combine for a long-lasting scanner that will let your organization capture the volumes of paper from seasonal peaks and heavy backlogs, worry-free. Backed by Ricoh's US-based, legendary solutions architects and support teams.



PaperStream IP

Compatible with all major document management software packages, PaperStream IP (PSIP) is a TWAIN/ISIS® compliant driver that cleans up and optimizes scanned images without any configuration.

PaperStream Capture

Take advantage of powerful indexing and sorting features, putting the document in the right location for great organization and fast retrieval. Now includes both 2D and 1D barcode support in the box.

PaperStream ClickScan

Easy-to-use capture software for any business. Simple scanning interface with 3-steps: scan, select destination, and save.

Flexible connectivity options

Choose between PaperStream IP Net for flexible, adaptable capture architectures, and PaperStream NX Manager for centralized, serverbased capture.

The next generation in scanning excellence fi-8270 Image Scanner







0.2 W or less

ENERGY STAR®, RoHS

Linux (Ubuntu)



28 W or less / 17 W (Eco mode)

2.0 W or less (LAN) / 1.4 W or less (USB)

11.8 x 22.7 x 9.2 in. (300 x 577 x 234 mm)

Windows® 11, Windows® 10*18, Windows®

PaperStream IP Driver (TWAIN/TWAIN x64/ISIS),

(SANE)*16*17, PaperStream Capture, PaperStream

Operation Panel, Error Recovery Guide, ABBYY

Multi image output, Automatic color detection,

Blank page detection, Dynamic threshold (iDTC)

Background pattern removal, Cropping

ClickScan*17, PaperStream NX Manager, Software

FineReader for ScanSnap*17, PaperStream Central Admin

Advanced DTC, SDTC, Static threshold, Error diffusion,

Dither, De-Screen, Emphasis, Dropout color (None/Red /Green/Blue/White/Saturation/Custom), sRGB output,

Hole punch removal, Index tab cropping, Split image, De-Skew, Edge filler, Vertical streaks reduction,

ADF paper chute, AC cable, AC adapter, USB cable,

WIA Driver,*16 Image Scanner Driver for Linux

Windows® Server 2019, Windows® Server 2016,

Server 2025, Windows® Server 2022,







Technical Information

Scanner Type ADF (Automatic Document Feeder) / Manual Feed, Flatbed, Duplex

Flatbed

Scanning Speed*1 ADF Simplex: 70 ppm (200/300 dpi)

(A4 Portrait) (Color / Grayscale*2 / Monochrome*3)

Image Sensor Type

Flatbed: Color CCD x1 **Light Source**

ADF: RGB LED x 2 (front x 1, back x 1)

Flatbed: White LED

1,200 dpi (driver)*5

8.5 x 11.7 inch (215.9 x 297 mm)

CIS x 2 (front x 1, back x 1)

Duplex: 140 ipm (200/300 dpi

1.7 seconds (200/300dpi)

Optical Resolution 600 dpi

Output Resolution*4 50 to 600 dpi (adjustable by 1 dpi increments)

(Color / Grayscale / Monochrome)

Output Format Color: 24-bit, Grayscale: 8-bit, Monochrome: 1-bit

Background Colors

White/Black (selectable) Flatbed: White (or optional black)

Document Size ADF Maximum*6 8.5 x 14 in. (215.9 x 355.6 mm) Minimum 1.9 x 2 in. (48 x 50 mm) Long Page Scanning*7 240 in. (6,096 mm)

Flatbed Maximum

Paper Weight (Thickness) 5.3 to 124 lb (20 to 465 g/m²)*8 Booklet 0.276 in. (Less than 7 mm)*! Plastic Card 0.055 in. (1.4 mm) or less*10

ADF Capacity*11 *12 100 sheets (Letter 20 lb or A4 80 g/m²)

Expected Daily Volume*13 10,000 sheets

Multifeed Detection Overlap detection (Ultrasonic sensor)

Length detection

Paper Protection Image monitoring, Sound detection (iSOP)*14

Interface

USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1 10BASE-T, 100BASE-TX, 1000BASE-T Ethernet

Power Requirements AC 100V to 240V 50/60Hz **Power Consumption**

Operating Mode Sleep Mode

Auto Standby (Off) Mode

Operating Environment

Temperature 41 to 95 °F (5 to 35 °C) Relative Humidity 15 to 80% (non-condensing)

Environmental Com-

pliance

Dimensions*15

(Width x Depth x Height)

Weight 19.4 lb (8.8 kg)

Supported Operating

System

Included Software / Drivers

Image Processing

Functions

Included Items

Trade Compliant

Standard Model Certifications

Warranty

Ricoh industry-leading support keeps digital transformation projects on-time and on budget

• U.S. based support

Specialized Teams

Setup DVD-ROM

PN: PA03810-B555

Tungsten® VRS Elite

1 Year Advance Exchange

• Flexible service programs

Service Programs & Options

1-Year Advance Exchange S8270-AEPWNBD-1 S8270-AEMYNBD-3 3-Year Advance Exchange 5-Year Advance Exchange S8270-AEMYNBD-5 Depot Mail-in Repair

S8270-DEPW5DY-3

PSC-PRO-1Y

PSC-PRO-3Y

PSC-PRO-5Y

3-year scanner contract provides mail-in unit repair that includes spare parts, labor, and one-way shipping to customer

One, three or five year programs offer whole-unit, next

business day replacement for scanner equipment*

PaperStream Capture Pro 1-Year Subscription PaperStream Capture Pro 3-Year Subscription PaperStream Capture Pro 5-Year Subscription

Consumables & Options

PaperStream Capture Pro

Brake Roller PA03810-0001 Lifetime: approx. 200,000 sheets *19 Pick Roller PA03670-0002 Lifetime: approx. 200,000 sheets *19

CG01000-302801 Consumable kit with instructions and cleaning supplies ScanAid Kit Booklet Carrier (1Piece) PA03810-0020 Supplemental protection for items such as passports Carrier Sheets (5 Pieces) PA03360-0013

Supplemental protection for delicate items PA03810-D301 Black back flatbed cover for cropping









*1 Actual scanning speeds may vary with data transmission and software processing times. *2 Indicated speeds are from using JPEG compression. *3 Indicated speeds are from using TIFF CCITT Group 4 compression. *4 Selectable maximum resolution may vary depending on the length of the scanned document. *5 Limitations may apply to the size of documents that can be scanned, depending on system environment, when scanning at high resolution (over 600 dpi). *6 Maximum document width possible for scanning is 240 mm (9.5 inch). *7 For use with PaperStream NX Manager, the maximum resolution supported is 400 dpi, with maximum lengths ranging with resolution. Simplex: 1,828.8 mm (72 in.) [below 300 dpi], 355.6 mm (14 in.) [below 400 dpi]. *8 Thicknesses of up to 128 to 209 g/m2 (34 to 56 lb) can be scanned for A8 (52 x 74 mm / 2.1 x 2.9 inch) sizes. *9 Indicated thickness is inclusive of Booklet Carrier Sheet thickness when using the Carrier Sheets. *10 Continuous feeding is supported when scanning up to 10 unembossed cards with thicknesses of 0.76 mm or less. *11 Maximum capacity depends on paper weight and may vary. *12 Capable of setting additional documents while scanning. *13 Numbers are calculated using scanning speeds and typical hours of scanner use, and are not meant to guarantee daily volume or unit durability. *14 Intelligent Sonic Paper Protection. *15 Excludes the ADF paper chute and stacker. *16 Functions equivalent to those offered by PaperStream IP may not be available with the Image Scanner Driver for Linux or WIA Driver. *17 Refer to the fi Series Support Site for driver/software downloads and full lineup of all supported operating system versions. www.pfu-us.ricoh.com.*18 fi Series scanners do not run with Windows® 11 and 10 ARM-based PCs. *19 Replacement cycles are guidelines for using A4 documents (80 g/m2 [20 lb]). These cycles vary depending on the type of documents scanned, how often the scanner is used and cleaned, and your operating environment.

ISIS is a trademark of OpenText. Microsoft, Windows, and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Any other products or company names appearing in this document are the trademarks or registered trademarks of the respective companies

Please carefully read the safety precautions prior to the use of this device and follow the recommended instructions for correct use. Do not place this device in wet, moist, highly humid, dusty or oily areas. Use of this device under such conditions may result in electrical shock, fire or damage to the device. Please use this device within the power ratings listed.

ENERGY STAR® PFU Limited has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States. Specifications are subject to change without notice.

